

All screen pictures in this catalogue are simulated.
iPods, iPhones, Android smartphones or any other accessories shown in this catalog are not supplied,
and must be purchased separately.

- Wi-Fi® and the Wi-Fi CERTIFIED logo are trademarks of Wi-Fi Alliance.
- The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by JVC KENWOOD Corporation is under license. Other trademarks and trade names are those of their respective owners.
- "Made for iPod", and "Made for iPhone" mean that an electronic accessory has been designed to connects specifically to iPod, or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, or iPhone may affect wireless performance.
iPhone, iPod, iPod classic, iPod nano, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Lightning is a trademark of Apple Inc.
- Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone, iPod, or iPad may affect wireless performance. Apple CarPlay is a trademark of Apple Inc.
- Android, Android Auto, Google Play and other marks are trademarks of Google Inc.
- DivX®, DivX Certified® and associated logos are trademarks of DivX, LLC and are used under license.
- "Hi-Res Audio" logo is a registered trademark of Japan Audio Society.
- SPOTIFY and the Spotify logo are among the registered trademarks of Spotify AB.
- Waze and Waze logo are registered trademarks of Google Inc.
- Weblink™ is a trademark of Abalta Technologies, Inc.
- YouTube logo are registered trademarks of Google Inc.

Design and specifications are subject to change without notice.
The photos of the products featured in this brochure may not be of actual products that are available in your country.

Copyright © 2018, JVC KENWOOD Corporation. All Rights Reserved.



JVC KENWOOD Gulf FZE
Unit A1SR06, JAFZA Business Plus,
Jebel Ali Free Zone (South),
Jebel Ali, Dubai,
United Arab Emirates



<http://ae.jvc.com/car/>

"JVC" is the brand of JVC KENWOOD Corporation.

JVC

Maximize
Your Urban Experience

drvn by
JVC

MOBILE
ENTERTAINMENT

Collection **2018**



Maximize

Your Urban Experience



Apple CarPlay Compatible

A smarter, safer and more fun way to use your iPhone in the car. CarPlay gives iPhone users an incredibly intuitive way to make calls, use Maps, listen to music with just a word or a touch.

Some features, applications, and services are not available in all areas. For details, see : www.apple.com/ios/feature-availability/#applecarplay-applecarplay



Android Auto™ Compatible

Android Auto was designed with safety in mind. With a simple and intuitive interface and powerful voice actions, it's designed to minimize distraction so that you can stay focused on the road.

Some features, applications, and services are not available in all areas. For details, see : www.android.com/auto/



Smartphone Air Mirroring

Mirroring is a groundbreaking solution for seamlessly displaying your Android apps on a JVC's screen over Wi-Fi. 2-way communication (touch control) can be supported for selected Android Smartphones.



Waze Nav-App Solution

Waze is the world's largest community-based traffic and navigation app. The 2018 JVC multimedia units bring the Waze functionality on a larger display*.
*Need JVC "WebLink" App.

Maximize

Collection

KW-V940BWM




KW-M740BTM

Non DVD Model



Ultimate Smartphone Integration



KW-V940BWM : Built-in Air Mirroring
KW-M740BTM : Waze Nav Solution

KW-V640BTM



KW-M540BTM

Non DVD Model



Waze Nav App Solution



2-phone Hands-free Ready
AAC : High Quality Music Streaming




KW-V640BTM : Single USB
KW-M540BTM : Dual USB

KW-V440BTM



KW-V340BTM



Entry-class Bluetooth Solution



2-phone Hands-free Ready
Music DJ, Seamless Music Streaming up to 5 Smartphones

KW-V440BTM : 6.8inch WVGA Screen
KW-V340BTM : 6.2inch WVGA Screen

V

KW-

DVD AV Receivers



KW-V940BWM

6.8inch WVGA Clear-coated Display
Built-in Wi-Fi "All in One" AV Receiver

WiFi

Apple CarPlay


BT Audio

Tuner

Phone



Apple CarPlay Compatible



Android Auto Compatible



Built-in "Air" Mirroring

M

KW-

Smartphone Centric



KW-M740BTM

6.8inch WVGA Clear-coated Display
"All in One" AV Receiver
Waze Nav-App Solution

Works with Apple CarPlay

android auto

BT Audio

Tuner

Phone

Works with Apple CarPlay

android auto

BT Audio

Tuner

Phone

KW-V940BWM & KW-M740BTM, the key features

Bluetooth® Version 3.0

2-phone Hands-free Ready
Automatically switch the paired 2phones for incoming calls.
Streaming DJ
Seamless Music Streaming up to 5smartphones
Advanced Audio Coding for iPhone
High Quality Music Streaming

Convenient **Dual USB**

Playable Video Formats

MPEG4	Playable up to 1920 x 1080
H.264	Playable up to 1280 x 720
MKV	Playable up to 1920 x 1080
WMV	Playable up to 1920 x 1080

USB video output to rear monitor



Max 1.5A quick charge for selected Android,
1.0A charge for iPhone

Spotify full control

Ability to control content from the
and Android as a dedicated source
Spotify works over Bluetooth
Bluetooth or USB cable for iPhone.



Spotify on iPhone
on the receivers.
for Android and

6.8inch Hi-Contrast "Clear-coated" Display

Viewing Angle Adjustment function /
Customizable GUI Background



Peripheral Connectivity

Rear View Camera Input includes Guideline
Direct OEM Steering Remote (page 13)
RGB, 3rd Party Navigation Interface



DVD AV Receivers





KW-V940BWM


6.8inch WVGA Clear-coated Display
Built-in Wi-Fi "All in One" AV Receiver




Your car, your studio.



K2 Technology reproduces the original master sound by up-converting
For example, K2 up-converts a CD data to 192kHz / 32 bit and recreates



frequency range and bit rate.
higher resolution sound.




Digital **Time** Alignment

KV-V and KW-M series are capable to
each speaker and produce a precise

adjust the sound output timing from
sound environment.



Smartphone Centric



KW-V940BWM & KW-M740BTM, the key features

High-Resolution Audio Certified



What's Hi-Res Audio?

Better than average CD, high-resolution file formats deliver the ideal premium
audio platform for studio quality music playback. High-Resolution Audio
captures every nuance from the original recording, hear the depth and breadth
of each note, experiencing the subtleties of each instrument.

The product with this logo is conformed to High-Resolution Audio standard defined by Japan Audio Society. This logo is used under license from Japan Audio Society.

Playable Hi-Res Audio Files

FLAC	Playable up to 192kHz / 24bit
WAV	Playable up to 192kHz / 24bit
DSD	Playable up to 11.2MHz / 1bit

13-Band Graphic EQ

The 13bands of equalization capability
in the JVC KW-V940BWM and KW-M740BTM
can turn your listening experience into
a dream.



Boost Your Sound System



High Voltage 4.0V 3Preouts
Ready to boost your system.
Introducing new drvn speakers and a 20cm
powered sub.

KW-V

DVD AV Receivers

KW-V640BTM

6.8inch WVGA Clear-coated Display
"Waze Nav-App Solution" AV Receiver



Waze on a JVC screen



Waze is a community-based traffic and navigation app. KW-V640BTM and KW-M540BTM bring the Waze functionality on a larger display.




How to use
Step-1 Simply download a free JVC "WebLink" Application.
Step-2 Simply connect your Smartphone via USB.
No need any accessories. You can enjoy "YouTube" via WebLink app.



KW-M

Smartphone Centric



KW-M540BTM

6.8inch WVGA Clear-coated Display
"Waze Nav-App Solution" Dual USB AV Receiver

6.8inch Hi-Contrast "Clear-coated" Display

Viewing Angle Adjustment function / Customizable GUI Background



Boost your system

Introducing new drvn speakers and a 20cm powered subwoofer.

13-Band Graphic EQ Digital Time Alignment

High Voltage 4.0V 3Preouts

Peripheral Connectivity

Rear View Camera Input includes Guideline
Direct OEM Steering Remote (page 13)
RGB, 3rd Party Navigation Interface

KW-V640BTM & KW-M540BTM, the key features

Powerful USB, playable up to 1920 x1080 MPEG4 video files



Playable Video Formats

MPEG4	Playable up to 1920 x1080
H.264	Playable up to 1920 x1080
MKV	Playable up to 1920 x1080
WMV	Playable up to 640 x 480
USB video output to rear monitor	

Playable Audio Formats

FLAC	Playable up to 96kHz / 24bit
WAV	Playable up to 96kHz / 24bit

Max 1.5A quick charge for selected Android
1.0A charge for iPhone

Bluetooth Version 3.0



2-phone Hands-free Ready
Automatically switch the paired 2phones for incoming calls.

Advanced Audio Coding for iPhone
High Quality Music Streaming

Spotify full control



Ability to control content from Spotify as a dedicated source on the receivers.
Spotify works over Bluetooth for Android and Bluetooth or USB cable for iPhone.



DVD AV Receivers



KW-V440BTM

6.8inch WVGA Clear-coated Display
AV Receiver

Drive, stream your music.



2-phone Hands-free Ready
Automatically switch the
for incoming calls.
paired 2phones



Streaming DJ
Seamless Music Streaming
up to 5smartphones



JVC Remote App
Customize your audio setting,
change sources from the smartphone.
Available for iOS and Android.



KW-V340BTM

6.2inch WVGA Clear-coated Display + 6.8inch Touch Panel
AV Receiver

KW-V440BTM & KW-V340BTM, the key features

Rear USB



Max 1.5A quick charge for selected Android
1.0A charge for iPhone

Playable Video Formats

MPEG1 Playable up to 720 x 576
MPEG2 Playable up to 720 x 576
DivX® Playable up to 720 x 576
USB video output to rear monitor

Playable Audio Formats

FLAC Playable up to 96kHz / 24bit
WAV Playable up to 44.1kHz / 16bit

Spotify full control



Ability to control content from Spotify
as a dedicated source on the receivers.
Spotify works over Bluetooth for Android
and Bluetooth or USB cable for iPhone.

Boost your system

Introducing new drvn speakers
and a 20cm powered subwoofer.




13-Band Graphic EQ Digital Time Alignment

High Voltage 4.0V 3Preouts

Hi-Contrast "Clear-coated" Display

Viewing Angle Adjustment function



Peripheral Connectivity

Rear View Camera Input includes Guideline
Direct OEM Steering Remote (page13)
RGB, 3rd Party Navigation Interface

Multimedia Lineup Comparison

		KW-V940BWM	KW-M740BTM	KW-V640BTM	KW-M540BTM	KW-V440BTM	KW-V340BTM	KW-V230BTM	KW-M24BT
									
DVD / CD	DVD / CD	Yes	Non DVD	Yes	Non DVD	Yes	Yes	Yes	Non DVD
Display	Size / Resolution	6.8inch WVGA 800 x 480	6.8inch WVGA 800 x 480	6.8inch WVGA 800 x 480		6.8inch WVGA 800 x 480	6.2inch WVGA 800 x 480	6.2inch WVGA 800 x 480	6.8inch WVGA 800 x 480
	Display Type	Clear-coated Resistive	Clear-coated Resistive	Clear-coated Resistive			Clear-coated Resistive		Superfine Resistive
Smartphone Integration	Built-in Wi-Fi	Yes	Not Available	Not Available		Not Available		Not Available	
	Apple CarPlay	Yes, via USB	Yes, via USB	Not Compatible		Not Compatible		Not Compatible	
	Android Auto	Yes, via USB	Yes, via USB	Not Compatible		Not Compatible		Not Compatible	
	Smartphone Mirroring	Yes	Not Compatible	Not Compatible		Not Compatible		Not Compatible	
	Waze Nav-App Solution, Web Link	Not Compatible	Yes, via USB	Yes, via USB		Not Compatible		Not Compatible	
	Bluetooth Hands Free	2-Phone Hands Free	2-Phone Hands Free	2-Phone Hands Free		2-Phone Hands Free		Yes	
	Bluetooth Music Streaming	A2DP x 5devices	Yes	Yes		A2DP x 5devices		Yes	
	JVC Remote App	Not Compatible	Not Compatible	Not Compatible		Compatible		Not Compatible	
	Spotify	Full Control	Full Control	Full Control		Full Control		Not Compatible	
USB	USB Port	x 2	x 2	x1	x 2	x 1		x 1	
	USB Video Format	MPEG 1, 2, 4 / H.264 / MKV / WMV	MPEG 1, 2, 4 / H.264 / MKV / WMV	MPEG 1, 2, 4 / H.264 / MKV / WMV		MPEG 1, 2/ Divx®		MPEG 1, 2, 4	
	USB Audio Format	MP3 / WMA / AAC / WAV / FLAC / DSD	MP3 / WMA / AAC / WAV / FLAC / DSD	MP3 / WMA / AAC / WAV / FLAC		MP3 / WMA / AAC / WAV / FLAC		MP3 / WMA / AAC	
Audio	Hi-Res Audio	Yes	Yes	Not Available		Not Available		Not Available	
	13-Band EQ / Time Alignment	Yes	Yes	Yes		Yes		7-Band EQ	
	Audio Preout	4.0V / 3Preouts	4.0V / 3Preouts	4.0V / 3Preouts		4.0V / 3Preouts		2.0V / 2Preouts & Sub W. out	
Peripheral Connectivity	Camera Input / AV In / AV Out	x 2 / x 1 / x 1	x 1 / x 1 / x 1	x 1 / x 1 / x 1		x 1 / x 1 / x 1		x 1 / x 1 / x 1	
	RGB Input	Yes	Yes	Yes		Yes		Not Available	

Entry Class Multimedia Receivers




KW-V230BTM Front USB

6.2inch WVGA Clear-coated Display
AV Receiver with Built-in Bluetooth





















KW-M24BT Non DVD / Short Body

6.8inch WVGA Superfine Resistive Display
AV Receiver with Built-in Bluetooth



Direct OEM Steering Remote


Steering Connector Information
for Japanese and Korean vehicles

TOYOTA (20P)		TOYOTA (28P)		TOYOTA (26P)		TOYOTA (10P+6P)		HONDA (20P-B)		HONDA (20P-A)	
											
Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray		Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray		Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray		Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray		Input 1 : Green Input 2 : NC ST REMOTE GND : Gray		Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	
HONDA (24P)		NISSAN (16P-A)		NISSAN (20P)		NISSAN (16P-B)		MITSUBISHI (20P)		MAZDA (24P)	
											
Input 1 : Green Input 2 : NC ST REMOTE GND : Gray		Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray		Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray		Input 1 : Green Input 2 : Purple ST REMOTE GND : Gray		Input 1 : Green Input 2 : NC ST REMOTE GND : Gray		Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	
SUBARU (20P)		SUBARU (8P)		SUZUKI (20P)		ISUZU (16P)		HYUNDAI / KIA (24P-A)		HYUNDAI / KIA (24P-B)	
											
Input 1 : Green Input 2 : NC ST REMOTE GND : Gray		Input 1 : Green Input 2 : NC ST REMOTE GND : Gray		Input 1 : Green Input 2 : NC ST REMOTE GND : Gray		Input 1 : Green Input 2 : NC ST REMOTE GND : Gray		Input 1 : Green Input 2 : NC ST REMOTE GND : Gray		Input 1 : Green Input 2 : NC ST REMOTE GND : Gray	

The information for each vehicle above was investigated by JVCKENWOOD Asia Headquarters, and may not cover all of the connector types. Please contact your local JVC dealers for details.


*Location of Steering Remote Connector

If the vehicle is equipped with an OEM steering remote controller, the steering remote connector is commonly located in the console.




*How to view Steering Remote Connector

All steering wheel remote controls to the left are vehicle side connectors and drawn from the side. (view indicated by arrow)



*Steering Remote Cable (included in the unit)



- 1) Look for a steering remote connector that is the same shape as in the image to the left in the console.
- 2) Connect "Input 1", "Input 2" and "ST REMOTE GND" to the pins shown in matching colors on the above list of connectors.

Bluetooth Audio
2018 Collection

Sleek & Elegant. JVC Design.



KW-R930BT
4.0V / 3Preouts



KD-R991BT
4.0V / 3Preouts



KD-R891BT
2.5V / 2Preouts



KD-R792BT
2.5V / 1Preout

Bluetooth Audio, the common key features



Bluetooth Version 3.0

2-Phone Hands-free Ready
automatically switch the paired 2phones
for incoming calls.



Streaming DJ

Seamless Music Streaming
up to 5smartphones



Support FLAC & WAV

- FLAC** Playable up to 96kHz / 24bit
- WAV** Playable up to 44.1kHz / 16bit
- AAC** Playable up to 96kHz / 576kbps
- MP3** Playable up to 48kHz / 320kbps



Powerful USB

Max 1.5A quick charge for selected Android
1.0A charge for iPhone



Spotify full control

Works over Bluetooth for Android
and Bluetooth or USB for iPhone.



13-Dig
Band Graphic EQ
ital Time Alignment



Works with Remote App

Customize sources
Available
your audio setting, change
from the smartphone.
for iOS and Android.

Digital Media Receivers.



KD-X351BT
2.5V / 2Preouts

KW-X830BT
2.5V / 2Preouts

Feature Comparison

	KD-R991BT	KD-R891BT	KD-R792BT	KW-R930BT	KD-X351BT	KW-X830BT
Bluetooth ver. 3.0 Features	Common - 2-Phone Hands Free Ready / Streaming DJ / Works with JVC Remote App -					
USB Port	Common - Front USB with Max 1.5A quick charging capability for selected Android -					
Spotify Full Control	Yes					
Audio Preout	4.0V 3Preouts	2.5V 2Preouts	2.5V 1Preout	4.0V 3Preouts	2.5V 2Preouts	2.5V 2Preouts
Sound Adjustment	13-Band EQ / Digital Time Alignment					
Key Illumination Color						
Remote Controller	Included	Included	Included	Included	Included	Optional

Entry Audio
2018 Collection

Sleek & Elegant. JVC Design.



KD-R491M
2.5V / 2Preouts



KD-R492M
2.5V / 2Preouts



KD-R496
2.5V / 2Preouts

Entry Audio, the common key features



Support **FLAC & WAV**

FLAC

Playable up to 48kHz / 16bit

WAV

Playable up to 44.1kHz / 16bit

WMA

Playable up to 48kHz / 192kbps

MP3

Playable up to 48kHz / 320kbps



drvn EQ + 12-Preset EQ

Produce dynamic sound without any settings.

Digital Media Receivers.



KD-X152M
2.5V / 2Preouts



KD-X252
2.5V / 2Preouts iPod USB

Gold Accent Edition

KD-R498
2.5V / 2Preouts



One-touch "drvn EQ"



Feature Comparison

	KD-R491M	KD-R492M	KD-R496	KD-R498	KD-X152M	KD-X252
USB Port	Common – Front USB with Max 1.0A charging capability -					iPod USB
Playable Music Format	Common - FLAC / WAV / MP3 and WMA -					
Audio Preout	2.5V 2Preouts	2.5V 2Preouts	2.5V 2Preouts	2.5V 2Preouts	2.5V 2Preouts	2.5V 2Preouts
Sound Adjustment	3-Band Parametric EQ / drvn EQ					
Key Illumination Color						
Remote Controller	Optional	Optional	Included	Included	Optional	Included

Introducing 6x9" & 16cm. Perfectly tuned for JVC Head-unit.

The new DR speakers are designed for JVC head-unit to produce superior directivity, dynamic sound which we call "drvn sound".



KW-M540BTM, enhance sound.



CS-DR695HP
6x9inch /5-Way



Horn Ring Sound Enhancer
Improves mid - higher frequency sound character and reproduces life-like sound.



PP + Mica Cone
Lightweight PP+ Mica Cone Material provides highly responsive, clear and undistorted sound.



Full Cover Grill Design
Protects the woofer and tweeter in open installations.



Φ120mm Large Magnet
Produces deep bass sound with higher clarity and response.



CS-DR162
16cm /2-Way



Horn Ring Sound Enhancer

20cm Powered Sub.

Offering a new benchmark in plug-and-play bass performance and convenience in a vehicle.



CW-DRA8
20cm Powered Sub

drvn Full Range



CS-DR695HP



CS-DR693HP



CS-DR693



CS-DR162



CS-DR1700C



CS-DR600C



CS-DR6820



CS-DR1720 / 520 / 420



CS-DR6200M

Tech-Spec	CS-DR695HP	CS-DR693HP	CS-DR693	CS-DR162
Peak Input Power	800W	600W	500W	300W
RMS Input Power	100W	100W	70W	50W
Size	6 x 9inch 5way	6 x 9inch 3way	6 x 9inch 3way	16cm 2Way
Tweeter Design	PEI Dome	PEI Dome	PEI Dome	PEI Balanced Dome
Tweeter Magnet Composition	—	—	—	—
Woofer Magnet Composition	Ferrite	Ferrite	Ferrite	Ferrite
Nominal Impedance	4ohms	4ohms	4ohms	4ohms
Frequency Response	49Hz - 19kHz	50Hz - 18kHz	54Hz - 18kHz	88Hz - 22kHz
Sensitivity (dB/W at 1m)	85dB	85dB	86dB	88dB
Mounting Depth	83mm	79mm	79mm	44mm

Tech-Spec	CS-DR1700C	CS-DR600C	CS-DR6820	CS-DR1720 / 520 / 420	CS-DR6200M
Peak Input Power	360W	360W	300W	300W / 260W / 220W	150W
RMS Input Power	55W	60W	45W	50W / 40W / 35W	50W
Size	17cm Component	16cm Component	6 x 8inch 2Way	17cm / 13cm / 10cm 2Way	Water Proof 16cm 2Way
Tweeter Design	PEI Balanced Dome	PEI Balanced Dome	PEI Balanced Dome	PEI Balanced Dome	PEI Balanced Dome
Tweeter Magnet Composition	Neodymium	Neodymium	Neodymium	Neodymium	Ferrite
Woofer Magnet Composition	Ferrite	Ferrite	Ferrite	Ferrite	Ferrite
Nominal Impedance	4ohms	4ohms	4ohms	4ohms	4ohms
Frequency Response	66Hz - 23.8kHz	76Hz - 24kHz	65Hz - 25.4kHz	74Hz - 25kHz / 85Hz - 25kHz / 114Hz - 23kHz	60Hz - 18.4kHz
Sensitivity (dB/W at 1m)	88dB	88dB	88dB	89dB / 88dB / 88dB	87dB
Mounting Depth	45mm	56.5mm	58mm	45mm / 44.5mm / 45.5mm	61.5mm

drvn Powered Sub



CW-DRA8

Tech-Spec	CW-DRA8
Maximum Output Power	250W
RMS Power Handling	150W
Size	20cm
Low Pass Filter	50Hz - 125Hz, -12dB/oct
Gain Control	Yes (On remote)
Phase Control	0°/180° (On Remote)
Speaker Level Input	Yes
Signal Sensing Turn On	Yes
Dimensions W x D x H (mm)	350 x 75 x 240
RCA Input	Yes

Boost Your System.

DR amplifiers reach massive power levels thanks to an optimized circuit board layout. Highly efficient heat sink keeps the amplifier cool with a sophisticated sleek cosmetic design.



KW-V940BWM / KD-R991BT High Voltage 4.0V 3Preouts




Input Sensitivity
0.2 - 15V

KS-DR3004
AB Class, 4ch Amplifier

MOS-FET for
The high-current
for responsive

Responsive Operation
transistor ensures fast efficient power transfer
operation and improves the sound linearity.




Toroidal Transformer
Stable power supply is
Its high winding density
efficiency of the power.

assured thanks to a large-size toroidal transformer.
and low flux leakage improve conversion


Balanced Speaker Level

Input for Quick Installation.


drvn Amplifiers



KS-DR3001D



KS-DR3002



KS-DR3004



KS-DR3005D

Tech-Spec	KS-DR3001D	KS-DR3002	KS-DR3004	KS-DR3005D
Maximum Power Handling	800W	400W	800W	1000W
RMS Power at 4ohms	250W	65W x 2ch	60W x 4ch	50W x 4ch + 200W
RMS Power at 2ohms	400W	90W x 2ch	90W x 4ch	65W x 4ch + 300W
Bridged at 4ohms	-	180W x1ch	180W x 2ch	130W x 2ch
Frequency Response	20Hz - 200Hz (+0dB, -3dB)	5Hz - 50kHz (+0dB, -3dB)	5Hz - 50kHz (+0dB, -3dB)	5Hz - 30kHz (4ch) / 20Hz - 200Hz (SUB)
High Pass Crossover	-	120Hz, -12dB/oct	120Hz, -12dB/oct	4ch 50Hz - 200Hz, -12dB/oct
Low Pass Slope	50Hz- 200Hz, -18dB/oct	80Hz, -12dB/oct	80Hz, -12dB/oct	SUB 50Hz - 200Hz, -18dB/oct
Speaker Level Input	Yes	Yes	Yes	Yes
Signal to Noise Ratio	60dB	80dB	80dB	70dB (4ch) / 60dB (Mono)
Dimensions W x D x H (mm)	227 x 185 x 52	194 x 185 x 52	322 x 185 x 52	340 x 185 x 52

Dynamic Bass-Sound

Complete your audio system with "drvn" subwoofers.



Super Heat-Resistant
ABS Gasket

High-Density
Urethane Foam Surround

Paper Cone
with PP Diaphragm

CW-DR120
30cm Hi-Performance Subwoofer

drvn Subwoofer



CW-DR120



CS-GD1210




CW-DR120T

Tech-Spec	CW-DR120	CS-GD1210	CW-DR120T
Peak Input Power	1800W	1400W	1800W
RMS Input Power	300W	400W	300W
Size	30cm Subwoofer	30cm Subwoofer	30cm Tube Type Subwoofer
Woofer Magnet Composition	Ferrite	Ferrite	Ferrite
Nominal Impedance	4ohms	4ohms + 4ohms (Dual Input)	4ohms
Frequency Response	25Hz - 2500Hz	20Hz - 2000Hz	42Hz - 1900Hz
Sensitivity (dB/W at 1m)	87.5dB	86.5dB	83.1dB
Mounting Depth / Dimensions	136.6mm	146.4mm	652mm (W) x 345mm (H) x 345mm (D)

Continuing Models
Amps & Speakers

ZX speakers

Powerful, Hi-density 3D Sound Speakers



Aramid Carbon Mica 3D Cone Woofer
Aramid carbon mica 3D cone woofer provides increased strength with less distortion, precise amplitude and speedy response.

Enhanced Mid-Range Sound
Larger cones deliver lively mid- and high-range sound as well as clear vocals.

Precise Magnetic Structure
Enables long excursion and faster cone velocity for unsurpassed linearity.

HX speakers

High Performance & eXcellent Sound Speakers



Single Roll Rubber Surround
Single Roll's flexibility prevents distortion of the sound, and focuses the sound for optimum clarity.

Carbon Mica Cone
Improved light and flexible cone ensures more response to the low frequency range.

Punched Metal with High Numerical Aperture
Improves sound flow about 30% compared to a conventional design.



Tech-Spec	CS- ZX6940	CS- ZX640 / 630 / 530
Peak Input Power	550W	350W / 300W / 300W
RMS Input Power	80W	50W / 40W / 40W
Size	6 x 9inch 4Way	16cm 4Way / 16cm 3Way / 13cm 3Way
Tweeter Design	PEI Dome	PEI Dome
Tweeter Magnet Composition	–	–
Woofer Magnet Composition	Ferrite	Ferrite
Nominal Impedance	4ohms	4ohms
Frequency Response	35Hz - 25kHz	40Hz - 25kHz
Sensitivity (dB/W at 1m)	91dB	89dB / 89dB / 88dB
Mounting Depth	80.5mm	57mm / 45.5mm / 44mm

CS- HX6959 / 6949	CS- HX649 / 639 / 539	CS- HX7158
650W / 600W 80W / 80W	350W / 320W / 320W 50W / 40W / 40W	600W 100W
6 x 9inch 5Way / 4Way PEI Balanced Dome / PEI Dome Neodymium / – Ferrite 4ohms 25Hz - 30kHz / 25Hz - 25kHz 89dB / 87dB 81mm	16cm 4Way / 16cm 3way / 13cm 3Way PEI Dome – Ferrite 4ohms 30Hz - 25kHz 88dB / 88dB / 87dB 57mm / 45.5mm / 44mm	7 x 10inch 5Way Metal Coated PEI Balanced Neodymium Ferrite 4ohms 25Hz - 30kHz 87dB 85mm

AX Amplifiers

Class-leading Sound Quality – AX5 series
Whilst compact, the AX5 amplifiers are designed for robust performance and class-leading sound quality. Remote sense turn-on and speaker level input provide easy upgrading of factory systems.



Amplifier Tech-Spec	KS- AX5101D	KS- AX5104	KS- AX204	KS- AX202
Maximum Power Handling	1000W	1000W	600W	300W
RMS Power at 4ohms	300W	70W x 4ch	40W x 4ch	40W x 2ch
RMS Power at 2ohms	500W	100W x 4ch	60W x 4ch	60W x 2ch
Bridged at 4ohms	–	200W x 2ch	120W x 2ch	120W
Frequency Response	20Hz - 200Hz	5Hz - 50kHz	5Hz - 50kHz	5Hz - 50kHz
High Pass Crossover	–	50Hz - 200Hz, -12dB/oct	150Hz, -12dB/oct	150Hz, -12dB/oct
Low Pass Slope	50Hz - 200Hz, 18dB/oct	50Hz - 200Hz, -12dB/oct	80Hz, -12dB/oct	80Hz, -12dB/oct
Speaker Level Input	Yes	Yes	Yes	Yes
Signal to Noise Ratio	60dB	80dB	80dB	80dB
Dimensions W x D x H (mm)	260 x 300 x 60	310 x 300 x 60	300 x 185 x 49.5	187 x 185 x 49.5

J speakers

JVC's Entry-class Speaker
The entry level J speakers are an affordable way to upgrade your factory speakers. Shallow mounting depth and multi-fit pattern mounting holes allow for easy installation in many different vehicles.



Tech-Spec	CS- JS600	CS- J6930 / 6820	CS- J620	CS- J620X / 520X / 420X	CS- J610X / 510X / 410X
Peak Input Power	300W	400W / 250W	300W	300W / 250W / 210W	300W / 250W / 210W
RMS Input Power	30W	45W / 30W	30W	30W / 30W / 21W	30W / 30W / 21W
Size	16cm Component	6 x 9inch 3Way / 6 x 8inch 2Way	16cm 2Way	16cm / 13cm / 10cm 2Way	16cm / 13cm / 10cm Dual Cone
Tweeter Design	PEI Balanced Dome	PEI Dome / PEI Balanced Dome	PEI Balanced Dome	PEI Balanced Dome	–
Tweeter Magnet Composition	Neodymium	– / Neodymium	Neodymium	Neodymium	–
Woofer Magnet Composition	Ferrite	Ferrite	Ferrite	Ferrite	Ferrite
Nominal Impedance	4ohms	4ohms	4ohms	4ohms	4ohms
Frequency Response	35Hz-22kHz	30Hz - 22kHz / 35Hz - 22kHz	35Hz - 22kHz	35Hz - 22kHz / 40Hz - 22kHz / 45Hz - 22kHz	35Hz - 20kHz / 40Hz - 20kHz / 45Hz - 20kHz
Sensitivity (dB/W at 1m)	92dB	92dB	92dB	92dB / 91dB / 90dB	92dB / 91dB / 90dB
Mounting Depth	43mm	76mm / 59mm	43mm	43mm / 43.5mm / 43.1mm	43mm / 43.5mm / 43.1mm

All screen pictures in this catalogue are simulated.
iPods, iPhones, Android smartphones or any other accessories shown in this catalog are not supplied,
and must be purchased separately.

- Wi-Fi® and the Wi-Fi CERTIFIED logo are trademarks of Wi-Fi Alliance.
- The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by JVC KENWOOD Corporation is under license. Other trademarks and trade names are those of their respective owners.
- "Made for iPod", and "Made for iPhone" mean that an electronic accessory has been designed to connects specifically to iPod, or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, or iPhone may affect wireless performance.
iPhone, iPod, iPod classic, iPod nano, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Lightning is a trademark of Apple Inc.
- Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards.
Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards.
Please note that the use of this product with iPhone, iPod, or iPad may affect wireless performance.
Apple CarPlay is a trademark of Apple Inc.
- Android, Android Auto, Google Play and other marks are trademarks of Google Inc.
- DivX®, DivX Certified® and associated logos are trademarks of DivX, LLC and are used under license.
- "Hi-Res Audio" logo is a registered trademark of Japan Audio Society.
- SPOTIFY and the Spotify logo are among the registered trademarks of Spotify AB.
- Waze and Waze logo are registered trademarks of Google Inc.
- Weblink™ is a trademark of Abalta Technologies, Inc.
- YouTube logo are registered trademarks of Google Inc.

Design and specifications are subject to change without notice.
The photos of the products featured in this brochure may not be of actual products that are available in your country.

Copyright © 2018, JVCKENWOOD Corporation. All Rights Reserved.



JVCKENWOOD Gulf FZE
Unit A1SR06, JAFZA Business Plus,
Jebel Ali Free Zone (South),
Jebel Ali, Dubai,
United Arab Emirates



<http://ae.jvc.com/car/>

"JVC" is the brand of JVCKENWOOD Corporation.



Maximize
your urban experience.

drvn by
JVC

MOBILE
ENTERTAINMENT

2018 COLLECTION